

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office OCT 22 2004

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 18 1994

The applicant **Utilities Inc. of Central Nevada** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Effluent (Primary)**
2. The amount of water applied for is **2.5 c.f.s. (365 mga – see remarks)** second feet.
 - (a) If stored in reservoir give number of acre-feet **Less than 5 acre-feet in small storage ponds**
3. The water to be used for **To be determined under secondary application(s)**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kind of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 22, T.20S., R.53E.,MDM, or at a point from which the NW corner of said Section 22 bears North 35°03' West, 4,657 feet.**
6. Place of Use **To be determined under secondary application(s)**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **Treatment works and outfall pipeline to storage reservoirs, then pumped to pond on the golf course for effluent application.**
9. Estimated cost of works **In excess of \$4,000,000**
10. Estimated time required to construct works **Treatment facilities are currently being expanded. Outfall line is constructed.**
11. Estimated time required to complete the application of water to beneficial use **To be determined under Secondary application(s)**
12. Remarks: **The intent of this application is to acquire an additional primary permit for plant expansion pursuant to NRS 533.440. The source of water is sewage effluent resulting from the expansion of the Utilities Inc. of Central Nevada Wastewater Treatment facility. This application is to permit an additional 1.0 million gallons per day (MGD). Permit 60664**

was approved 06/30/1995 for 0.5 MGD. With approval of this application, the expanded plant capacity of 1.5 MGD will be under permit.

By **Bruce R. Scott, Resource Concepts, Inc.**
s/ Bruce R. Scott
340 North Minnesota Street
Carson City, Nevada 89703-4152

Compared sg/sc dl/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This primary permit is issued under the authority of NRS 533.440 (Secondary Applications are required for the use of the appropriated effluent) and is only a temporary allowance and the quantity granted may exceed the effluent discharged. The final water right obtained will be dependent upon the amount of effluent actually placed to beneficial use under the secondary permits. A totalizing meter must be installed at the discharge near the point of diversion and accurate measurements must be kept of effluent discharged. Granting of this permit is not intended in any way to waive or affect authority or requirements of appropriate water control agencies or regulations. This permit is further issued subject to the provisions of NRS 533.395 and the State retains the right to regulate the use of water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permit 60664 shall not exceed 1680.22 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.5 cubic feet per second, **and not to exceed 1120.15 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

N/A

Proof of the application of water to beneficial use shall be filed on or before:

N/A

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of March, A.D. 2006


State Engineer

Completion of work filed January 21, 1998 under 60664

Proof of beneficial use filed N/A

Cultural map filed N/A

Certificate No. _____ Issued _____